

HELMSMAN



Bench Seating Range





Helmsman - The Complete Package

Island Bench

Durable & versatile

Helmsman island bench is freestanding and can be fixed to the floor if required. Available for both dry and wet environments. The frames are 25 x 25 or 40 x 40 mm mild steel tubes. If used in a humid area such as a leisure centre changing room, the bench frame is zinc-plated and powder-coated to customers choice of colour. Seat slats are 10/12 mm solid grade laminate.




Double-sided & Single-sided Benches

Ideal for schools and leisure centres

Helmsman freestanding double-sided bench with a double-sided coat hook bar is completely versatile. Standard nylon hooks are placed every 280mm. Optional foot-bar is available.

The single-sided bench with a single-sided coat hook bar should be fixed to a wall/floor for security.

Both types of benches are manufactured from 25 x 25 or 40 x 40mm square steel tubing which is powder-coated. Mild steel is zinc-plated to suit wet areas. The seat slats can be manufactured from ash hardwood or solid grade laminate. The overall height of the bench is 1700mm. Bespoke options are available.



Cantilever Bench Seating

Sturdy & space-saving

Helmsman cantilever benches are sturdy and space-saving as they are attached to the wall. The strength and wall type need to be inspected before attaching the bench. It is perfect when minimal fixings are required. It allows clear ground beneath for storage or obstruction-free cleaning. Suitable for both wet and dry areas.

Standard cantilever dimensions are 450H x 1500W x 300D mm.

Bespoke sizes available, please consult with Helmsman.

Manufactured from mild steel 25/40mm tubes which are fixed to the wall. The seat can be manufactured from ash hardwood or solid grade laminate as standard. Bespoke options are available.



Wall to Floor Bench Seating

Changing room bench seating

Helmsman changing room wall to floor benching is ideal for schools, gyms, leisure centres or sports facilities. These benches are fixed to the wall and the floor for extra durability. Optional to have a coat hook bar above the bench as an extra.


Standard wall to floor bench seating dimensions is 450H x 1500W x 300D mm. Manufactured from mild steel 25/40mm tubes. The seat can be manufactured from ash hardwood or solid grade laminate as standard. Suitable for both wet and dry areas. Bespoke options are available.



Bespoke Bench Seating

Tailored to your requirements

Helmsman has a wide range of benching solutions available, however, we are known for providing high-quality bespoke products. We can manufacture bespoke bench seating for your environment. We will work with you to design, supply and install (if necessary) the perfect bench seating solution.



Wall Mounted Coat Hook Bar

Sturdy & convenient

Helmsman coat hook bars come hand in hand with most bench seating options. It is a convenient way to provide more storage for personal items such as bags and clothing. Nylon hooks are placed every 250mm. A standard bar is 1500mm long. Option to upgrade to aluminium hooks.





**1 Northern Way
Bury St Edmunds
Suffolk
IP32 6NH
(+44) 01284 727626
hello@helmsman.co.uk
www.helmsman.co.uk**

